



SAFETY DATA SHEET

GDG-2.5L CONCRETE AND STONE DEGREASER

Issue Date: 30/06/22 Version #4

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION


Trade Name:	GDG-2.5L CONCRETE AND STONE DEGREASER		
SUPPLIER:	OZITO INDUSTRIES PTY LTD / GERNI		
ADDRESS:	25 FOX DRIVE, DANDENONG SOUTH, VIC 3175		
TELEPHONE:	1800 069 486	FAX:	
EMERGENCY PHONE:	13 1126 in Australia	ABN:	050731756
Substance:	Water based liquid	Product Use:	Degreaser
Creation Date:	June 2022	Revision Date:	June 2027

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	S5 (ALKALINE SALTS)
Dangerous Goods	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. <ul style="list-style-type: none">• Eye Irritation Category 2• Skin Irritation Category 2• Acute Aquatic Toxicity - Category 3

Label elements

GHS label pictograms	 GHS07
----------------------	--

Signal word **WARNING**

Hazard statement(s)

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H402	Harmful to aquatic life.

Precautionary statement(s): General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

Precautionary statement(s): Prevention

P264	Wash hands and skin thoroughly after handling.
P280	Wear eye protection/ face protection/protective gloves.
P273	Avoid release to the environment.

Precautionary Statement(s): Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see First Aid Measures on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362 +P364	Take off contaminated clothing and wash it before reuse.



SAFETY DATA SHEET

GDG-2.5L CONCRETE AND STONE DEGREASER

Issue Date: 30/06/22 Version #4

P362	Take off contaminated clothing and wash before reuse.
Precautionary statement(s): Storage	
Precautionary statement(s): Disposal	
Note	
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:5 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Triethanolamine sulfonate	27323-41-7	<10% w/w
Ethylene glycol monobutyl ether	111-76-2	< 10% w/w
Potassium hydroxide	1310-58-3	< 0.5% w/w
C12-C15 alcohol ethoxylate	68131-39-5	<2% w/w
Ingredients determined to be non-hazardous at concentrations present, including water.	various	Balance to 100%

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS7). Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID MEASURES

Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek immediate medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons. (Phone Australia 131126).
First Aid Facilities	Eyewash and normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES

Fire and Explosion Hazards	Non flammable liquid. However, on evaporation of the aqueous component, the residual material may burn.
Extinguishing Media	Use an extinguishing media suitable for surrounding fires. Use carbon dioxide (CO ₂) fire extinguisher, water fog, foam or fine water spray.



SAFETY DATA SHEET

GDG-2.5L CONCRETE AND STONE DEGREASER

Issue Date: 30/06/22 Version #4

Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	None


SECTION 6 – ACCIDENTAL RELEASE MEASURES



Emergency Procedures	Minor spills do not normally need any special clean-up measures. Rinse with water. In the event of a major spill, prevent spillage from entering drains or water-courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If required, neutralize with acid (citric/acetic). If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.
-----------------------------	--

SECTION 7 – HANDLING AND STORAGE

Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.
Storage	Store in a cool dry well-ventilated area. Store away from oxidising agents and acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Store in original packages as approved by manufacturer.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: Time-weighted Average (TWA): None established for product. <ul style="list-style-type: none">• Potassium hydroxide: PEAK LIMITATION 2 mg/m³• Ethylene glycol monobutyl ether: 20ppm, (96.9 mg/m³)• Triethanolamine 5mg/m³ Short Term Exposure Limit (STEL): None established for product. <ul style="list-style-type: none">• Ethylene glycol monobutyl ether: 50 ppm, (242 mg/m³)
Ventilation	This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection 	Safety glasses should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection 	<p>Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.</p>
Body Protection 	<p>Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.</p>
Respirator	<p>If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.</p>

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Non-viscous liquid	Colour	Green
Odour	characteristic odour	Specific Gravity	1.02 – 1.04 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	pH	11.0 – 11.5 neat
Volatile Organic Compounds (VOC)	<10 % v/v	Per Cent Volatile	Ca 80 % v/v
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY

Reactivity	Stable at normal temperatures and pressure.
Conditions to Avoid	Extremes of temperature and direct sunlight. Reacts vigorously with acids.
Incompatibilities	ACIDS: violent reaction can occur, yielding heat and pressure, which can burst an enclosed container. Reacts slowly with ambient air (particularly carbon dioxide), which may cause certain insoluble salts to form in solutions.
Hazardous Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation	<p>Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation. Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful effects - aerosols of this product containing ingredient ethylene glycol monobutyl ether may cause central nervous system effects if inhaled.</p>
Skin contact	<p>Skin contact with concentrate may cause irritation. Irritation will continue until removed. Severity depends on the concentration and duration of exposure.</p>



SAFETY DATA SHEET

GDG-2.5L CONCRETE AND STONE DEGREASER

Issue Date: 30/06/22 Version #4

Eye contact	Concentrated product causes eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.
Ingestion	Swallowing can result in nausea, vomiting, chemical burns of the mouth, throat & abdomen. This product containing ethylene glycol mono butyl ether may cause headache, dizziness, light-headedness, confusion, and passing out, and may damage the liver and kidneys on ingestion.
Chronic exposure	Prolonged and repeated skin contact with diluted solutions may induce eczematoid dermatitis. Development of a defatting dermatitis on prolonged contact with potassium hydroxide has been reported.
Toxicology Information	Not classified as 'Toxic'. Oral LD50 (ATE calculated) : >3,500 mg/kg body weight.
Carcinogen Status	
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
Respiratory sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL INFORMATION

Acute Aquatic Toxicity Product (as sold)	Acute Aquatic Toxicity Category 3 H402 - Harmful to aquatic life. (LC50 >10 mg/L but < 100mg/L) Acute Aquatic Toxicity (ATE Calculated) LC50: 30 - 55 mg/L.
Acute Aquatic Toxicity Product (at use dilution 1:100 rinse)	Acute Aquatic Toxicity - NOT HAZARDOUS Not harmful to aquatic life. LC50 > 100mg/L. Acute Aquatic Toxicity (ATE Calculated) LC50: 3,000 – 5,500 mg/L.
Persistence and degradability	Readily biodegradable, based on ingredients.
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--	---

SECTION 14 – TRANSPORT INFORMATION

Labels Required	
ADG	



SAFETY DATA SHEET

GDG-2.5L CONCRETE AND STONE DEGREASER

Issue Date: 30/06/22 Version #4

IMDG Marine Pollutant	No
HAZCHEM	
Land Transport (ADG)	
UN Number	None allocated.
ADG Proper Shipping Name	None allocated.
ADG Code Hazard Class	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
IERG Number	None allocated.
Segregation	None allocated.

SECTION 15 – REGULATORY INFORMATION

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S5 (ALKALINE SALTS)
ADG Code	None allocated.
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION

Issue Date	30 th June 2022
Version Number	V 4.0 GHS7 Classification
Abbreviations and acronyms	<p>ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p>AICS: Australian Inventory of Chemical Substances.</p> <p>CAS Number: Chemical Abstracts Service Registry Number.</p> <p>GHS: Globally Harmonized System of Classification and Labelling of Chemicals</p> <p>HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.</p> <p>HSIS: Hazardous Substances Information System</p> <p>IARC: International Agency for Research on Cancer.</p> <p>NOHSC: National Occupational Health and Safety Commission.</p> <p>NTP: National Toxicology Program (USA).</p> <p>SDS: Safety Data Sheet</p> <p>STEL: Short Term Exposure Limit.</p> <p>SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.</p>



SAFETY DATA SHEET

GDG-2.5L CONCRETE AND STONE DEGREASER

Issue Date: 30/06/22 Version #4

	<p>TWA: Time Weighted Average.</p> <p>UN Number: United Nations Number.</p>
Literature references	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia)</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p> <p>Global Harmonized System of Classification and Labelling of Chemicals (GHS)</p> <p>“Australian Exposure Standards”. Safework Australia</p> <p>Australian Code For The Transport Of Dangerous Goods By Road And Rail</p> <p>Standard for the Uniform Scheduling of Medicines and Poisons</p> <p>Safety Data Sheets – individual raw materials – Suppliers</p> <p>HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.</p> <p>HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.</p>
Disclaimer	<p>This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.</p>

End of SDS